

CLEAN VERSION OF AMENDED CLAIMS - OZ 50995

3. A pigment concentrate as claimed in claim 1 comprising at least one pigment, a polyethylene wax, a thermoplastic polymer and additives.
4. A pigment concentrate as claimed in claim 1 comprising at least one pigment, a polyethylene wax and additives.
6. A process for producing a pigment concentrate as claimed in claim 1, which comprises mixing the components at a temperature above the melting point of wax and carrier polymer.
7. A plastic molding or a plastic sheet colored by means of a pigment concentrate as claimed in claim 1.
8. A process for coloring a molding or sheet as claimed in claim 7 by means of a pigment concentrate, which comprises mixing the components by homogenization in the melt.

10/148925

MARKED VERSION OF AMENDED CLAIMS - OZ 50995

3. A pigment concentrate as claimed in claim 1 [or 2] comprising at least one pigment, a polyethylene wax, a thermoplastic polymer and additives.
4. A pigment concentrate as claimed in claim 1 [or 2] comprising at least one pigment, a polyethylene wax and additives.
6. A process for producing a pigment concentrate as claimed in claim 1 [any of claims 1 to 3], which comprises mixing the components at a temperature above the melting point of wax and carrier polymer.
7. A plastic molding or a plastic sheet colored by means of a pigment concentrate as claimed in claim 1 [any of claims 1 to 6].
8. A process for coloring a molding or sheet as claimed in claim 7 by means of a pigment concentrate [as claimed in any of claims 1 to 5], which comprises mixing the components by homogenization in the melt.

CLAIMS AS FILED - 50995

1. A pigment concentrate comprising at least one pigment, a polyethylene wax prepared from ethylene and respectively from 0 to 20 mol% of one or more comonomers, selected from propene, 1-butene, 1-pentene, 1-hexene, 1-octene, 1-decene or 1-undecene using a metallocene catalyst, if desired a thermoplastic polymer and, if desired, additives.
2. A pigment concentrate as claimed in claim 1 which comprises preparing the polyethylene wax using a metallocene catalyst containing Ti, Zr or Hf as central atom.
3. A pigment concentrate as claimed in claim 1 comprising at least one pigment, a polyethylene wax, a thermoplastic polymer and additives.
4. A pigment concentrate as claimed in claim 1 comprising at least one pigment, a polyethylene wax and additives.
5. A process for producing a pigment concentrate as claimed in claim 4, which comprises mixing the components at a temperature above the melting point of the wax.
6. A process for producing a pigment concentrate as claimed in claim 1, which comprises mixing the components at a temperature above the melting point of wax and carrier polymer.

CLAIMS AS FILED - 50995

7. A plastic molding or a plastic sheet colored by means of a pigment concentrate as claimed in claim 1.

8. A process for coloring a molding or sheet as claimed in claim 7 by means of a pigment concentrate, which comprises mixing the components by homogenization in the melt.